

Trump Eco Technology Co., Ltd.

According to UN GHS (the 8th revised edition)

Safety Data Sheet (SDS)

Product Name:	HDPE waterproof material
Model No.:	HDPE-60mil-1.5mm

Written by: Linda

(Linda)

Inspected by:

(Jose)



ISSUED BY: TUV-Laboratory (China) Service of Testing Co., Ltd.

Feb. 2021 PRINT

Item No.:	20A028A256
SDS No.:	EDS.210.202.002.TEC
Initial Date:	Feb. 02, 2021
Revision Date:	Feb. 02, 2021



SDS No.: EDS.210.202.002.TEC

Initial Date: Feb. 02, 2021

Version: 1.0

Product Name: HDPE waterproof material

Revision Date: Feb. 02, 2021

Item No.: 20A028A256

Section 1

Product and Company Identification

Product identification

Product Name:	HDPE waterproof material
Model No.:	HDPE-60mil-1.5mm
HS code:	3901100090
CAS No.:	Not applicable
EC No.:	Not applicable
Molecular formula:	Not applicable

Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	Waterproof projects
Uses advised against:	No special note

Details of the applicant, supplier

Company name:	Trump Eco Technology Co., Ltd.
Address:	5F, No.32, Jinke Middle Road, Jlnniu District, Chengdu, P.R. China.
Post code:	611036
Telephone:	+86-15882314158
Fax:	
E-mail:	dennis@ecohdpe.com

Emergency telephone number

Emergency telephone:	+86-13908046496
----------------------	-----------------

Section 2

Hazard Description

Hazard class and label elements of the product according to GHS (the 8th revised edition):

GHS Hazard class

Non-hazardous substance or mixture.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Fuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com
E-mail: report@tuv-lab.com

on of the quality of Tel: 4008-553-663

Fax: 0755-3295 7866

Page 1 of 13

Product Name: HDPE waterproof material Revision Date: Feb. 02, 2021 Item No.: 20A028A256

GHS label elements

Pictogram(s):	None
Signal word:	None

Hazard statements

Not applicable.

Other Hazards

None.

Hazard description

Physical and chemical hazards

Non-flammable, no special combustion and explosion characteristics.

Health hazards

None.

Environmental hazards

Please refer to Section 12 of SDS.

Section 3

Composition/Ingredient Data

Component(s)	Content, %	CAS No.
HDPE	97.5	9002-88-4
Carbon black	2.5	1333-86-4

Section 4

First Aid Measures

Description of first aid measures

General advice:	Show this safety data sheet to the doctor in attendance. After receiving the first-aid measure required, consult a physician if necessary.
Skin contact:	If skin contact melts, flush cooling with plenty of water.
Skin contact:	Non medical staff to assist, do not remove the wound cured resin. Consult a physician.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

Website: www.tuv-lab.com
3F, E Block, Huaide Building, Fuyong, Bao'an Dist, Shenzhen

E-mail: report@tuv-lab.com



Page 2 of 13

Tel: 4008-553-663

Fax: 0755-3295 7866

SDS No.: EDS.210.202.002.TEC	Initial Date: Feb. 02, 2021	Version: 1.0
Product Name: HDPE waterproof material	Revision Date: Feb. 02, 2021	Item No.: 20A028A256

Eyes contact:	Check for and remove any contact lenses, occasionally lifting the upper and
	lower eyelids. Immediately flush eyes with running water, disappear until the
	chemical residues so far.
	Provide a readily-accessible eyewash facility and quick-drench safety shower.
	Do not rubbing eyes with hand.
	If symptoms develop and persist, consult a physician.
	Move exposed person to fresh air. Maintain an open airway. Keep person
	warm and at rest.
Inhalation:	If breathing is irregular, provide artificial respiration or oxygen by trained
	personnel.
	Get medical attention if adverse health effects persist or are severe.
Ingestion:	If the product is in the form of chip and there is a possibility of swallowing:
	If swallowed in a large quantity, consult with the physician.

Most important acute and delayed symptoms/effects

The most important known symptoms and effects are described in section 2 and/or in section 11.

Immediate/special treatment

- Continue with first aid measures. Treat symptomatically and supportively.
- Symptoms may be delayed.

Section 5

Firefighting Measures

Extinguishing agent

Suitable extinguishing agents:	Use dry sand, dry chemical or CO ₂ foam extinguishing.	
	Water spray can be used to cool fire exposed containers/materials.	
	Use extinguishing media most appropriate for the surrounding fire.	
Unsuitable extinguishing	Do not uses a solid water stream as it may scatter or spread fire.	
agents:		

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released: Carbon oxides.

Fire precautions and measures

Service of

TUV-Laboratory (China) Service of Testing Co., Ltd.

- Firefighters must wear self-contained breathing apparatus, wear full body fire suit, fire extinguishing in the upwind.
- As far as possible will be transferred to empty containers from the scene.

This tectinical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

Website: www.tuv-lab.com Tel: 4008-553-663 Page 3 of 13

3F, E Block, Huaide Building, Fuyong, Bao'an Dist, Shenzhen

E-mail: report@tuv-lab.com

Fax: 0755-3295 7866

SDS No.: EDS.210.202.002.TEC Initial Date: Feb. 02, 2021 Version: 1.0

Product Name: HDPE waterproof material Revision Date: Feb. 02, 2021 Item No.: 20A028A256

3	Keep the fire water spray containers cooling, until the end of fire.
4	If the containers in the fire ground have been color, must be evacuated immediately.
5	Isolated accident scene, prohibit access.
_	

Section 6

Accidental Release Measures

Receiving and processing of fire, to prevent environmental pollution.

Personal precautions, protective equipment and emergency procedures

- 1 Since the product is a solid matter, there will be usually no leakage.
- If the melt leaks, isolation leakage zone. Ensure there is proper ventilation of the area.
- 3 No action shall be taken involving any personal risk or without suitable training.
- 4 Keep unnecessary and unprotected personnel from entering.
- 5 Do not touch or walk through spilt material, avoid slipping.
- 6 Avoid breathing steam/dusts.
- 7 Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
- 8 Put on appropriate personal protective equipment (see section 8).

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 Since the product is a solid matter, there will be usually no leakage.
- 2 If the melt leaks, wipe out after curing, transferred to a seal, recycling container labels for disposal.
- Disposal: Contaminated material must be disposed of in accordance with all State and/or Local regulations.

Section 7

Handling and Storage

Precautions for safe handling

Service of T

1 Put on appropriate personal protective equipment (see section 8).

This tectinical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Firsong, Bao'an Dist, Shenzhen

Website: <u>www.tuv-lab.com</u> Tel: 4008-553-663

E-mail: report@tuv-lab.com

Fax: 0755-3295 7866



Page 4 of 13

SDS No.: EDS.210.202.002.TEC Initial Date: Feb. 02, 2021 Version: 1.0

Product Name: HDPE waterproof material Revision Date: Feb. 02, 2021 Item No.: 20A028A256

_	
2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
3	Workers should wash hands and face before eating, drinking and smoking. Avoid contact eyes. Avoid breathing dust.
4	Provide suitable exhaust equipment. Operate in a well-ventilated place.
5	Normal measures for preventive fire protection. Keep away from heat/sparks/open flames/hot surfaces.
6	Observe good housekeeping procedures and hygiene practices.
7	Provide for appropriate exhaust ventilation and dust collection at machinery.
8	Wash thoroughly after handling.
9	Avoid formation of dust and aerosols.
10	Persons with a history of skin sensitization problems should not be employed in any process in which

Precautions for storage

this product is used.

- Store in accordance with local regulations. Stored in a dry, cool and well-ventilated area. Keep container tightly closed.
- Keep away from open flames and high temperatures, away from incompatible materials (see section 10).
- 3 Keep out of reach of children and pets.

Section 8

Exposure Controls/Personal Protection

Control parameters

Occupational Exposure limit values

Components	Country/region	Occupational exposure limits (8h)		Occupational exposure limits (Short time)	
CAS No.		ppm	mg/m ³	ppm	mg/m ³
Carbon black	USA-OSHA	-	3.5	-	-
1333-86-4	Korea	-	3.5	-	=
	Ireland	-	3.5	(c=)	7
	Germany (AGS)	-	3.5	87 — 8	=
	Denmark	=	3.5)(=)	10

This tectinical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Furjong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com Tel: 4008-553-663 E-mail: report@tuv-lab.com Fax: 0755-3295 7866



Page 5 of 13

Version: 1.0 SDS No.: EDS.210.202.002.TEC Initial Date: Feb. 02, 2021 **Product Name: HDPE waterproof material** Revision Date: Feb. 02, 2021 Item No.: 20A028A256

Australia

Engineering controls

- Ensure adequate ventilation, especially in confined areas.
- Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

General requirements:			
Respiratory protection:	Where protection from nuisance le (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU) during production.		
Eye protection:	Wear safety glasses when there is a potential for eye contact during production.		
Skin and body protection:	Wear suitable protective clothing and boots.		
	Wear protective gloves.		
Hands protection:	Check protective gloves prior to each use for their proper condition.		
	The selection of the suitable gloves does not only depend on the material, but		
	also on further marks of quality and varies from manufacturer to manufacturer.		

Section 9

Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance and character:	Black flake, solid
Odor:	Odorless
Melting point/freezing point (°C):	Ca. 142
Initial boiling point and boiling range (°C):	No data
Flash point (°C):	Not applicable
Evaporation rate:	No data

This tectinical report may only be queted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

Website: www.tuv-lab.com E-mail: report@tuv-lab.com Fax: 0755-3295 7866

Page 6 of 13

TUV-Laboratory (China) Service of Testing Co., Ltd. 3F, E Block, Huaide Building, Fuyong, Bao'an Dist, Shenzhen

Tel: 4008-553-663

SDS No.: EDS.210.202.002.TEC Initial Date: Feb. 02, 2021 Version: 1.0

Product Name: HDPE waterproof material Revision Date: Feb. 02, 2021 Item No.: 20A028A256

Steam pressure (20°C):	No data
Relative density (water=1):	≥0.940
Partition coefficient: n-octanol/water:	No data
Decomposition temperature (°C):	>300
Auto ignition temperature (°C):	No data
pH value:	Not applicable
Explosion limit [% (v/v)]:	Non explosives
Relative vapor density(air=1):	No data
Solubility:	Insoluble in water
Flammability (solid, gas):	Non-flammable
Oxidizing properties:	The substance does not belong to oxidizing substances

Section 10

Stability and Reactivity

Stability and Reactivity

Stability: The product is chemically stable.						
Reactivity:	Stable under recommended storage and handling conditions.					
Incompatible materials: Strong oxidizing agents, strong acids and strong bases.						
Conditions to avoid:	In contrast to the nature of the material, direct sunlight, high temperature and					
Conditions to avoid.	open fire.					
Hazardous	Under normal conditions of storage and use, hazardous decomposition					
decomposition products:	products should not be produced.					

Section 11

Toxicological Information

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Fuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com
Tel: 4008-553-663
E-mail: report@tuv-lab.com
Fax: 0755-3295 7866

Page 7 of 13

SDS No.: EDS.210.202.002.TEC Initial Date: Feb. 02, 2021 Version: 1.0

Product Name: HDPE waterproof material Revision Date: Feb. 02, 2021 Item No.: 20A028A256

Acute toxicity

Component(s) CAS No.		LD50(Oral)	LD50(Dermal)	LC50(Inhalation)	
Carbon black	1333-86-4	Rat: >15400mg/kg	No data	No data	

Skin corrosion/irritation:	According to the existing data, the product is not classified. Allergic persons to the substances contained, may be irritating to skin. Will not irritate to skin under normal conditions.
Eye corrosion/irritation:	Irritating effect possible.
Respiratory sensitization:	These products are not known to cause human respiratory sensitization.
Skin sensitization:	These products are not known to cause skin sensitization.
Germ cell mutagenicity:	According to the existing data, the product is not classified.
Carcinogenicity:	No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity:	According to the existing data, the product is not classified.
Specific target organ toxicity - single exposure:	According to the existing data, the product is not classified.
Specific target organ toxicity - repeated exposure:	According to the existing data, the product is not classified.
Aspiration hazard:	According to the existing data, the product is not classified.
Additional reproductive toxicity hazards:	According to the existing data, the product is not classified.

Section 12

Ecological Information

Aquatic toxicity

Acute/Chronic aquatic This product contains no hazardous or toxic substances, and presents a toxicity: negligible impact on the environment based on its reported use pattern.

Persistence and degradability

Service of T

Persistence: No data

Bioaccumulative potential

Bioaccumulation: The potential for bioaccumulation of this material in aquatic organisms is low.

This tectinical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Furjong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com Tel: 4008-553-663 E-mail: report@tuv-lab.com Fax: 0755-3295 7866

Page 8 of 13

SDS No.: EDS.210.202.002.TEC

Initial Date: Feb. 02, 2021

Version: 1.0

Product Name: HDPE waterproof material

Revision Date: Feb. 02, 2021

Item No.: 20A028A256

Mobility in soil

Mobility:

No data

Other adverse effects

Under environmental conditions, it will not have a detrimental effect on plants, animals or microorganisms. But do not allow material to be released to the environment without proper governmental permits.

Section 13

Disposal Considerations

Waste disposal

vvaste disposai				
	Before disposal should refer to the relevant national and local laws and regulation.			
Residual waste:	The generation of waste should be avoided or minimized wherever possible.			
i (Coldual Waste.	Recommended ignition under control or transfer to a suitable container and			
	arrange for collection by specialized disposal company if recycling is not			
	feasible.			
Contaminated	The generation of waste should be avoided or minimized wherever possible.			
packaging:	Waste packaging should be recycled. Incineration or landfill should only be			
packaging.	considered when recycling is not feasible.			
Disposal considerations:	Dispose of container and unused contents in accordance with national and local relevant regulations laws.			

Section 14

Transport Information

Transport rules

According to IATA DGR 62nd Edition for transportation, IMO International Maritime Dangerous Goods Code (Amendment 39-18), European Agreement Concerning the International Carriage of Dangerous Goods by Road. The products are not subject to IATA DGR, IMDG and ADR/RID.

Label(s) required

Label(s):

None

Road transport (UN-ADR)

UN number:

Service of T

Not regulated

This tectinical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Firsong, Bao'an Dist, Shenzhen

Website: <u>www.tuv-lab.com</u> E-mail: <u>report@tuv-lab.com</u> Tel: 4008-553-663

Fax: 0755-3295 7866



Page 9 of 13

Version: 1.0 SDS No.: EDS.210.202.002.TEC Initial Date: Feb. 02, 2021 **Product Name: HDPE waterproof material** Revision Date: Feb. 02, 2021 Item No.: 20A028A256 UN proper shipping Not regulated name: Transport hazard Not regulated class(es)-Main: Transport hazard None class(es)-Sub risk: Packaging group: Not regulated Special provisions: None Hazard code: None Air transport (ICAO-IATA/DGR) UN number: Not regulated UN proper shipping Not regulated name: Transport hazard Not regulated class(es)-Main: Transport hazard None class(es)-Sub risk: Packaging group: Not regulated Special provisions for None transportation ERG code: None Sea transport (IMDG-CODE) Not regulated UN number: UN proper shipping Not regulated name: Transport hazard Not regulated class(es)-Main: Transport hazard None class(es)-Sub risk: Packaging group: Not regulated Special provisions for None transportation: Marine pollutants No

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

Service of T

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Fuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com
Tel: 4008-553-663

E-mail: report@tuv-lab.com
Fax: 0755-3295 7866



SDS No.: EDS.210.202.002.TEC

Initial Date: Feb. 02, 2021

Version: 1.0

Product Name: HDPE waterproof material

Revision Date: Feb. 02, 2021

Item No.: 20A028A256

(Yes/No):

EmS No.: None

Section 15

Regulatory Information

Regulatory information:

Reference to the local, national, US, EU, CA and international regulations.

CAS No.	TSCA	EINECS	DSL	IECSC	NZIoC	PICCS	KECI	AICS
9002-88-4	~	~	~	~	~	~	~	~
1333-86-4	√	~	~	~	~	~	~	~

TSCA: United States Toxic Substances Control Act Inventory		
EINECS:	European Inventory of Existing Commercial Chemical Substances	
DSL:	Canadian Domestic Substances List	
IECSC:	China Inventory of Existing Chemical Substances	
PICCS:	Philippines Inventory of Chemicals and Chemical Substances	
NZIoC:	New Zealand Inventory of Chemicals	
KECI:	Existing and Evaluated Chemical Substances	
AICS:	List of existing chemical substances in Australia	
★Note:	"√" Indicates that the substance included in the regulations "×" That no data or included in the regulations	

Section 16

Other Information

Abbreviations or phrases

ACGIH:	American Conference of Governmental Industrial Hygienists
ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS:	Chemical Abstracts Service
CLP:	Classification, labeling and packaging

This tectinical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Fuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com Tel: 4008-553-663

Fax: 0755-3295 7866

E-mail: report@tuv-lab.com



Page 11 of 13

SDS No.: EDS.210.202.002.TEC Initial Date: Feb. 02, 2021 Version: 1.0

Product Name: HDPE waterproof material Revision Date: Feb. 02, 2021 Item No.: 20A028A256

EC:	Council of Europe
ECHA:	European Chemicals Agency
EINECS:	European Inventory of Existing commercial Chemical Substances
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association
RID:	Regulation for rail International transportation of Dangerous goods
ICAO:	International Civil Aviation Organization
IMDG:	International Maritime Dangerous Goods Code
IC ₅₀ :	Inhibitory Concern Triton 50%
LC ₅₀ :	Lethal Concentration 50%
LD ₅₀ :	Median Lethal Dose 50%
MAPROL:	International Convention for the Prevention of Pollution from Ships
REACH:	REGULATION concerning the Registration, Evaluation, Authorization and Restriction of Chemicals
STEL:	Short Term Exposure Limit
TWA:	Time Weighted Average
MAC:	Maximum Allowable Concentration
OSHA:	Occupational Safety and Health Administration
NIOSH:	National Institute for Occupational Safety and Health
TLV:	Threshold Limit Value
TLV-TWA:	Threshold Limit Value-Time Weighted Average
TLV- STEL:	Threshold Limit Value-Short term Exposure Limit
PC-TWA:	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
PEL:	Permissible Exposure Limit
OELs:	Occupational Exposure Limits

Reference

1 IARC

2 OECD: The Global Portal to Information on Chemical Substances

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Fuyong, Bao'an Dist, Shenzhen

Service of T

Website: www.tuv-lab.com Tel: 4008-553-663

Fax: 0755-3295 7866

E-mail: report@tuv-lab.com



Page 12 of 13

SDS No.: EDS.210.202.002.TEC Initial Date: Feb. 02, 2021 Version: 1.0

Product Name: HDPE waterproof material Revision Date: Feb. 02, 2021 Item No.: 20A028A256

3	U.S. Department of Transportation: ERG
4	Germany GESTIS-database on hazard substance
5	CAMEO Chemicals
6	NLM: ChemIDplus
7	EPA: Integrated Risk Information System
8	IPCS: The International Chemical Safety Cards (ICSC)

Disclaimer

The above information is believed to be correct but we can not guarantee the absolute universality and accuracy and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

TUV-Laboratory ensures the objectivity and fairness of the test and fulfills the confidentiality obligations of the applicant's information. The applicant is responsible for the authenticity of the submitted samples and information. The results shown in this report relate only to the samples tested. The test results only reflect the evaluation of the sample being tested and are not used for other purposes. TUV-Laboratory shall not be liable for any loss arising from or in connection with this report, contract, tort, regulation or other reasons. This report is invalid or has been copied in whole or in part if there is no approver signature and TUV-Laboratory testing special seal. This report may not be published as an advertisement without the approval of the TUV-Laboratory. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is illegal and the offender may be prosecuted to the fullest extent of the law.

Product photo(s)



END OF REPORT

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

 Website:
 www.tuv-lab.com
 Tel:
 4008-553-663

 E-mail:
 report@tuv-lab.com
 Fax:
 0755-3295
 7866



TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Fuyong, Bao'an Dist, Shenzhen

Service of